

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants: Douglas A. Hettrick et al.                      Examiner: S. Johnson  
Serial No.: 10/760,155    Group Art Unit: 3766  
Filed: January 16, 2004    Docket: P0011316.00  
Title: CONTROL OF ATRIAL DEFIBRILLATION THERAPY BASED ON  
HOMODYNAMIC SENSOR

---

**PETITION FOR REVIVAL OF AN APPLICATION FOR PATENT ABANDONED  
UNINTENTIONALLY UNDER 37 CFR 1.137(b)**

Attention: Office of Petitions  
**Mail Stop Petition**  
**"Special Processing Submission"**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
**Fax: (571) 273-8300**

Dear Sir:

The above-identified application became abandoned for failure to file a timely and proper reply to a notice or action by the United States Patent and Trademark Office.

Applicant hereby petitions for revival of this application. Enclosed please find the following:

- 1) Authorization to charge petition fee of \$1500.00, as well as any deficiencies, and credit any overpayments, to Deposit Account No. 13-2546;
- 2) Copies of Issue Fee payment; and
- 3) Copy of Notice of Abandonment.

Since this application was filed after June 8, 1995, no terminal disclaimer is required.

STATEMENT

The entire delay in filing the required reply from the due date for the required reply until the filing of a grantable petition under 37 CFR 1.137(B) was unintentional.

Respectfully submitted,

September 21, 2007  
Date

/Paul H. McDowall/  
Paul H. McDowall  
Reg. No. 34,873  
(763) 514-3351  
Customer No. 27581